



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/871,863	06/01/2001	Randolph H. Watkins	DI-5717	1448
29200	7590	10/22/2003	EXAMINER	
BAXTER HEALTHCARE CORPORATION RENAL DIVISION 1 BAXTER PARKWAY DF3-3E DEERFIELD, IL 60015			MENON, KRISHNAN S	
			ART UNIT	PAPER NUMBER
			1723	

DATE MAILED: 10/22/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action

Application No.

09/871,863

Applicant(s)

WATKINS ET AL.

Examiner

Krishnan S Menon

Art Unit

1723

--Th MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 29 September 2003 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.
- b) ☒ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.
- ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
- (b) ☐ they raise the issue of new matter (see Note below);
- (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
- (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: _____

3. ☐ Applicant's reply has overcome the following rejection(s): _____.
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: see attached Response to Arguments.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☒ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____

Claim(s) objected to: _____

Claim(s) rejected: 1 and 3-28

Claim(s) withdrawn from consideration: _____

8. ☐ The proposed drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____
10. ☐ Other: _____

Response to Arguments

Applicant's arguments filed 9/29/03 have been fully considered but they are not persuasive.

Argument re 35 USC 102/103 rejection: When the interpretation of the claim(s) is or may be in dispute, i.e., given one interpretation, a rejection under 35 U.S.C. 102 is appropriate and given another interpretation, a rejection under 35 U.S.C. 103(a) is appropriate. See MPEP §§ 2111-2116.01 for guidelines on claim interpretation.

Argument re "... the member including curved vanes being extending from or integral with the body ..." See the case law: *In re Larson*, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965): "...the use of a one piece construction instead of the structure disclosed in [the prior art] would be merely a matter of obvious engineering choice".

Argument re structural difference of the dialyzer header between the claimed invention and the prior art DE 343 5883: In this case, the prior art element:

(A) performs the identical function specified in the claim in substantially the same way, and produces substantially the same results as the corresponding element disclosed in the specification. *Kemco Sales, Inc. v. Control Papers Co.*, 208 F.3d 1352, 54 USPQ2d 1308 (Fed. Cir. 2000)

(B) is not excluded by any explicit definition provided in the specification for an equivalent. A person of ordinary skill in the art would have recognized the interchangeability of the element shown in the prior art for the corresponding element disclosed in the specification. *Caterpillar Inc. v. Deere & Co.*, 224 F.3d 1374, 56 USPQ2d 1305 (Fed. Cir. 2000); *Al-Site Corp. v. VSI Int'l, Inc.*, 174 F.3d 1308, 1316, 50 USPQ2d 1161, 1165 (Fed. Cir. 1999); *Chiuminatta Concrete Concepts, Inc. v. Cardinal Indus. Inc.*, 145 F.3d 1303, 1309, 46 USPQ2d 1752, 1757 (Fed. Cir. 1998); *Lockheed*

Art Unit: 1723

Aircraft Corp. v. United States , 193 USPQ 449, 461 (Ct. Cl. 1977); Data Line Corp. v. Micro Technologies, Inc., 813 F.2d 1196, 1 USPQ2d 2052 (Fed. Cir. 1987).

(C) is an equivalent of the claimed element. There are insubstantial differences between the prior art element and the corresponding element disclosed in the specification. IMS Technology, Inc. v. Haas Automation, Inc., 206 F.3d 1422, 1436, 54 USPQ2d 1129, 1138 (Fed. Cir. 2000); Warner-Jenkinson Co. v. Hilton Davis Chemical Co., 117 S. Ct. 1040, 41 USPQ2d 1865, 1875 (1997); Valmont Industries, Inc. v. Reinke Mfg. Co., 983 F.2d 1039, 25 USPQ2d 1451 (Fed. Cir. 1993). See also Caterpillar Inc. v. Deere & Co., 224 F.3d 1374, 56 USPQ2d 1305 (Fed. Cir. 2000) the prior art element is a structural equivalent of the corresponding element disclosed in the specification. In re Bond, 910 F.2d 831, 15 USPQ2d 1566 (Fed. Cir. 1990). That is, the prior art element performs the function specified in the claim in substantially the same manner as the function is performed by the corresponding element described in the specification.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krishnan S Menon whose telephone number is 703-305-5999. The examiner can normally be reached on 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L Walker can be reached on 703-308-0457. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Krishnan Menon
Patent Examiner


JOSEPH DRODGE
PRIMARY EXAMINER